

Panasonic

ideas for life

PT-LB50NTE
Micro Portable Wireless XGA LCD Projector
2000 lm XGA

PT-LB50SE
Micro Portable SVGA LCD Projector
2000 lm SVGA



The World's Fastest Wireless Transmission Projectors



- Easy wireless projection (PT-LB50NTE)
 - World's fastest data transfer*¹
 - Wireless PC motion/sound streaming*²
 - Abundant wireless functions, including wireless prompter and 16-window index style
 - Simple, user-friendly settings
- Daylight View 2 technology
 - Looks max. 50% brighter*³
 - Vivid colours in a bright room
 - Auto operation with ambient light sensor (ALS)
- High power and portability
 - Bright 2,000 lumens
 - Ultra-lightweight: 1.8 kg/1.9 kg (4.0 lbs/4.2 lbs)*⁴
 - Slim and compact design: 57-mm thickness*⁵
- Quick operation
 - 2-second speed start
 - Auto search
 - Real-time keystone correction
 - Operation assistance
 - Direct power off

*¹ As of February 7, 2006, according to our own evaluation of wireless transmission from PC to projector. Wireless projection function is featured on the PT-LB50NTE only.

*² Content and DVDs set with DRM (Digital Rights Management) cannot be transmitted.

*³ Comparison with Daylight View 2 turned On and Off, using an 80-inch screen and ordinary meeting room lighting of 400 lux. (Projector: PT-LB50NTE, screen gain: 2.6)

*⁴ 1.8 kg/4.0 lbs for the PT-LB50SE; 1.9 kg/4.2 lbs for the PT-LB50NTE.

*⁵ Legs and protruding parts not included.

Simple & Flexible Wireless Projection

The presenter is over here.



The PT-LB50NTE features a wireless LAN function. There are no cables to connect other than the power cord, so setup is quick and easy and you have full layout flexibility. Featuring a host of convenient wireless functions, the PT-LB50NTE enhances the projection applications. In addition, the PT-LB50NTE and PT-LB50SE incorporate Panasonic's original Daylight View 2 technology, which makes images easy to see even in brightly lit rooms.



Wireless Manager Control Panel (Launcher)

Easy Wireless Projection (PT-LB50NTE)

The World's Fastest Data Transfer**

Boasting wireless data transmission at five times the speed of our conventional model**2, the PT-LB50NTE provides a smooth display of moving picture files**3 at 30 fps**4.



Moving picture

Sound

Wireless PC Motion/Sound Streaming

In addition to the moving pictures, audio data can be sent at the same time, so you can give Microsoft® PowerPoint® presentations rich in moving pictures and sound effects with wireless convenience.

Abundant Wireless Functions

The PT-LB50NTE provides a host of convenient wireless functions, including Wireless Prompter (Secondary Display Transmission), selective area transmission and 16-window index style that lets you project images from up to 16 PCs at the same time. Wireless transmission is possible from one PC to a maximum of eight projectors at a time.

Wireless transfer



Simple, User-Friendly Operation

The settings for wireless connection can be made quickly and easily using Wireless Manager ME 3.0 software, which installs easily onto a PC using the included CD-ROM. You can also copy Wireless Manager onto a memory card and take it to a presentation site. This gives you wireless projection even where there are no PCs with Wireless Manager ME 3.0**5. When the Wireless Manager ME 3.0 is finished, the PC's LAN settings are restored to their original state, so the PC is ready to reconnect to your company LAN.

Other Wireless Features

- Projector control/status monitoring capability via an Internet browser
- Automatic connection to registered projectors
- The security method complies with WPA-PSK and WPA2-PSK.
- The Advanced Encryption Standard (AES) is used for all communication encryption.
- Wireless shutter function
- One-shot mode
- PowerPoint® page up/down operation using the supplied remote control

High-Speed Data Transfer

In Live mode and Multi Live mode, the content of the PC screen is projected with the same smooth image motion as you get with a wired connection.

Set yourself free.!!!

A host of convenient wireless functions

Wireless Prompter Function (Secondary Display Transmission)



This allows transmission of content other than what's displayed on your PC. For example, you can display text documents on your PC screen while projecting slide from your Microsoft® PowerPoint® presentation**6. You get a host of other convenient wireless transmission functions too, such as area-specified transmission and a multi-live mode for simultaneous display of up to 16 PCs.

Selective Area Transmission



By using the area select window, you can specify the necessary information alone from the computer screen, and display it on the projection screen.

Multi-Live Mode


• **Four-Window Style**
The operation is controlled using Wireless Manager ME 3.0.


• **Index Style: Four Thumbnails**
This style projects images from up to four PCs as small windows along the bottom of the screen.

• **Extended Index Style: 16 Thumbnails**
This style projects images from up to 16 PCs as small windows. Using the projector's remote control, you can select any one of the index windows and display it on the main window or on a full screen.

Multiple Source Live Mode

You can simultaneously project a single computer's screen on up to eight projectors. This mode is useful when a number of projectors are installed, for example, in a large conference room, or when holding simultaneous presentations in several conference rooms.





Daylight View 2 Technology

Looks max. 50% brighter


Panasonic's Daylight View 2 technology, which helps project sharp, crisp images that are easy to see even in brightly lit rooms. A built-in sensor measures the ambient light, and the halftone colours and brightness level are adjusted accordingly in real-time. Viewing brightness is increased by as much as 50%*7.



Simulated image when the Daylight View 2 is turned off.



Simulated image when the Daylight View 2 is turned on.



High Power and Portability

Powerful 2,000-Lumen Projectors

Thanks to a high-performance optical system and high-efficiency 165-W UHM™ lamp, the PT-LB50 series projectors deliver super-bright pictures with 2,000 lumens brightness. Sharp, crisp images are easy to see.

Ultra-Lightweight and Compact

At only 1.8 kg/1.9 kg*, PT-LB50 models won't weigh you down—even when you're carrying with you a laptop. PT-LB50 projectors are 297 mm wide by 210 mm deep—about the size of an A4 sheet of paper—and only

57 mm high. Each slips easily into a bag or briefcase.



Quick Operation

Two-Second Speed Start

With Speed Start, the image appears in about two seconds after you press the power button.

Auto Search

When a source is connected and you switch the unit on, it automatically detects what kind of source is connected and begins projection.

Real-Time Keystone Correction

The projector automatically senses if you adjust its angle (vertical direction) during operation and instantly makes whatever keystone correction is necessary for optimum viewing.

Direct Power Off

You can disconnect the power cable and move the projector as soon as your presentation is finished, because the cooling fan keeps operating until the lamp is cooled.



Other Features

- Operation assistance
- Short-throw zoom lens
- Anti-theft features: User password, control panel lock and text superimposing
- Projector AI
- Index Window
- Auto power off

- Two RGB inputs
- RGB 2 IN can be switched to RGB 1 OUT for loop-through monitoring
- HDTV compatibility
- Full compatibility with sRGB colour space for accurate colour reproduction (in natural mode)
- Picture mode selection (standard/dynamic/natural)
- Blackboard mode allows you to project images onto an ordinary classroom or conference room blackboard
- 3x digital zoom
- Shutter function for image/sound muting
- Selectable 17-language on-screen menu
- Ceiling mountable (option)

Rear view



*1 As of February 7, 2006, according to our own evaluation of wireless transmission from PC to projector.
*2 PT-LB20NTE.
*3 Content and DVDs set with DRM (Digital Rights Management) cannot be transmitted.
*4 For moving picture files in QVGA size.
*5 Transmission will be slower and certain functions are not available compared to when using a computer that has the software installed. Also, certain functions may not be available. (Please see operating instruction for details.)
*6 With Wireless Manager ME 3.0, you can use the projector screen as a secondary monitor for the PC. In this setup, Microsoft® PowerPoint® must be set to "Show Presenter View."
*7 Comparison with Daylight View 2 turned On and Off, using an 80-inch screen and ordinary meeting room lighting of 400 lux. (Projector: PT-LB50NTE, screen gain: 2.6)
*8 1.8 kg for the PT-LB50SE; 1.9 kg for the PT-LB50NTE.

