Everything should be this easy

VT595 and VT695 digital projectors.



LONG LAMP LIFE

EASY TO USE

AUTOSENSE TECHNOLOGY

MONITOR OUTPUT

COLOR MANAGEMENT

AUTOMATIC KEYSTONE CORRECTION

5-WATT SPEAKER

DVI-I INPUT

VARIABLE AUDIO OUT

Easy to use and at the right price, the VT Series projectors provide all the essential features that you need to connect with your audience.

ESSENTIAL FEATURES FOR EASE OF USE.

- Plug and play intuitive setup and operation.
- Quick start up lets you begin presenting in seconds.
- Bright images easily viewed in any application.
- Versatile color-coded connections to computer, video sources and external monitor.
- Lightweight design for easy transport.
- Automatic keystone correction SquareShotTM technology instantly projects a square image even when the projector is set up at a steep offset angle to the screen.
- AutosenseTM intuitively syncs the projector with most computer signals and features onetouch image optimization.
- One touch source changes and complete menu control using the intuitive projector keypad.

VERSATILE FEATURES AND POWERFUL PERFORMANCE.

- With XGA native resolution, high brightness up to 2500 lumens and patented NEC technologies like Advanced AccuBlendTM and VORTEXTM Technology, the VT Series displays impressive image quality.
- Vertical position of the image can be adjusted when the **Cinema aspect (wide screen)** ratio is in use.
- **Built-in wall color correction presets** provide for adaptive color tone correction to display properly on non-white surfaces.
- Focus in on details with up to 400% image magnification.
- Easy remote allows you to adjust lamp mode, aspect ratio, volume and image all with the touch of a button.
- Optional IR receiver can be connected to computer for remote mouse control.
- Variable audio-out enables remote control to be used to adjust volume of self-powered external speakers that are connected to the projector.
- Powerful 5-watt speaker provides volume needed for large rooms.
- **Dual computer inputs,** including one DVI-I, ensures quick switching between presentations.

SAVE MONEY, RESOURCES AND YOUR PROJECTOR.

- The VT Series projectors are extremely affordable.
- \circ **Extended lamp life** with Eco-modeTM technology that increases lamp life up to 3,000 hours.
- Nearly silent operation with noise level as low as 29dB
- Automatic timer can be set to shut off the projector at selected time intervals.
- **Power management** enables projector to automatically turn off when an incoming signal is not detected from any of the inputs.
- Password protection restricts unauthorized use of projector
- Cabinet control lock setting enables user to deactivate buttons on cabinet to prevent unwanted changes to projector settings.







UNIQUE FEATURES

UNIQUE FEATURES		
Advanced AccuBlend	Ensures detailed images when non-native resolution	
	sources are connected to the projector.	
Autosense	Automatically syncs with any computer signal and	
	features one touch image optimization.	
VORTEX™ Technology Plus	Breakthrough image processing technology improves	
	white level, color accuracy, dynamic range and varying	
	levels of black in an image.	
Eco-Mode™ Technology	Extends lamp life, lowers audible noise and reduces total	
	cost of ownership.	
Built-in Wall Color Correction	Presets provide for adaptive color tone correction to	
	display properly on non-white surfaces.	
Image Magnification	64-step image magnification with location control.	
Sleep Timer	Count down timer can be set to automatically turn off	
	the projector.	
5-Watt Speaker	Provides volume needed for larger rooms	

WARRANTY

Registered owers receive a 3-year limited warranty including InstaCare. Includes three year limited warranty on parts and one year limited warranty on labor. The lamp is covered for one year or 500 hours - whatever comes first. InstaCare provides the original owner one year of either limited 3 business day repair/return or next business day exchange.

IN THE BOX

Carrying case, carrying handle for projector, remote control, battleries, power cord, RGB signal cable, lens cap, user's manual on CD-ROM, quick start guide, product registration card, DVI-I – VGA adapter









For more information, call 1.800.NEC.INFO or visit www.necvisualsystems.com

NEC is a registered trademark of NEC Corporation. All other trademarks are the property of their respective owners. All specifications subject to change without notice.

NEC Corporation of America Visual Systems Division 1250 Arlington Heights Rd., Suite 400 Itasca, IL 60143-1248

Everything should be this easy VT595 and VT695 digital projectors.

OPTICAL

Display Technology	0.6" LCD	
Resolution	Native:	XGA 1024 x 768
	Maximum:	UXGA 1600 x 1200
Light Output (lumens)	VT595	2000 normal / 1600 eco
	VT695	2500 normal / 1900 eco
Contrast Ratio	600:1	
Lamp Type	VT595	190W DC/150W eco
	VT695	200W DC/150W eco
Lamp Life (up to)	2000 hours n	ormal / 3000 hours eco
Screen Size (diagonal)	21 – 300 in, .	53-7.6 m
Throw Ratio	1.5 – 1.8	
Projection Distance	2.3 to 36.4 ft	r, .7 to 11.1 m
Projection Angle	8.3 – 8.6° tel	e / 9.9 – 10.3° wide
Lens	Zoom	1.0 to 1.2
	Focus	Manual
		F=1.7 to 2.07 mm, f=18.9 to 22.7mm
Keystone Correction	Automatic or	manual +/- 30°
SICNAL COM	IDATIDII IT	VICONNECTIVITY

SIGNAL COMPATIBILITY/CONNECTIVITY

SCall Rate	HONZONIAI	13 to 100 kHz
	Vertical	50 to 120 Hz
Supported Video	NTSC, NTSC4.4	3, PAL, PAL-60, PAL-M, PAL-N, SECAM
Standards		
SD/HD Video Signal	1080i, 720p, 57	6p, 576i, 480p, 480i, Y/Cb/Cr component (with optional adapter – ADP-CV1E)
Compatibility		
PC Signal Compatibility	VGA, SVGA, XG	SA, SXGA, SXGA+, UXGA
Macintosh Compatibility	Yes	, , ,
Input/Output Terminals	RGB 1 (analog)	15 pin
	RGB2	DVI-I (digital and analog)
	Video 1	RCA
	Video 2	S-Video
	Audio 1	L/R RCA (shared by video sources)
	Audio 2	1/8 inch stereo (shared by computer inputs)
	Audio Out	Variable audio out
	Monitor Out	Yes
Audio	5-Watt speaker	
External Control	RS232, IR	
Sync Compatibility	Separate Sync /	Composite Sync / Sync on G
FLEGERICAL		

ELECTRICAL

Power Req.	100 - 240VAC, 50 / 60Hz
Input Current	3.1 / 1.3A
Power Consumption	270W / 220W (VT595), 280W / 215W (VT695)

MECHANICAL

Installation Orientation	Floor / Front, Floor / Rear, Ceiling / Front, Ceiling / Rear
Dimensions (WxDxH)	12.2 x 10.2 x 4.4 in, 309 x 258 x 112 mm
Net Weight	6.4 lbs, 2.9 kg
Fan Noise	35 dB normal / 29 dB eco
Regulations	USA UL 1950 FCC Class B, Canada CSA950 (C-UL)

ENVIRONMENTAL

LITTINGITIE	-141/1E	
Operational Temp	41° to 95°F / 5° to 40°C	
Humidity	20-80% non-condensing	
Storage	14° to 122°F / -10° to 50°C	

14° to 122°F / -10° to 50°C
IES/WARRANTY PROGRAMS
IR receiver enables PJ remote to control PC and MAC functions
802.11b/g wireless adapter
Amplified 30 watt speaker
Security cable attaches to projector lock slot
Component video to VGA adapter
· · · · · · · · · · · · · · · · · · ·
Leather case with compartments for laptop and projector
Leather rolling case for laptop and PJ, fits in most airplane storage bins
Airtight molded plastic shipping case for projector
Ceiling mount with adapter plate designed for VT90 Series projectors
Universal ceiling mount for projectors weighing less than 40 pounds
6 to 9 inch adjustable extension column for use with projector mount
12 to 18 inch adjustable extension column for use with projector mount
2 to 3 foot adjustable extension column for use with projector mount
3 to 5 foot adjustable extension column for use with projector mount
Adjustable suspended ceiling plate for use with ceiling mount
Replacement lamp for VT49
Replacement lamp for VT490, VT590, VT595, VT695
Replacement remote control
Replacement power cord
Replacement RGB signal cable
Extends term of parts and labor warranty to include 3 years labor
Extends term of InstaCare service program to 3 years
3 year international service program
Projector recycling program, disposal certificate
Extends term of VT90 Series parts warranty to 4 years
Extends term of VT90 Series parts and labor warranty to 4 years



