

acer

Show your Brighter Side The Acer Projector family



acer.co.uk
Acer UK Ltd
Tel. +44-0208 283 3000
Fax +44-0208 283 3001
Sales enquiries: 0870 853 1005

acercomputer.fi
Acer Computer Finland Oy
Tel +358-9-225 2690
Fax +358-9-225 26916

acer.cz
Acer Czech Republic s.r.o.

acer.dk
Acer Denmark A/S
Tel. +45 39 16 88 00
Fax +45 39 16 88 01

acer.no
Acer Computer Norway AS
Tel. +47 32 84 30 00
Fax +47 32 84 30 01

acer-ee.com
acer.bg
acer.com/ee
acer.com/si
acer.hr
acer.lt
acer.lv
acer.ro
acer.ua
Acer Eastern Europe
Tel. +49-4102-488 0
Fax +49-4102-488 270

acer.pl
Acer Polska
Tel. +48-22-471-06-00
Fax. +48-22-471-07-00

acer.hu
Acer Magyarország
Fax: +36-1-336-3309

acer.ru
Acer CIS Inc
Tel. +7 495 646 53 73
Fax +7 495 980 54 43

acer.ae
Acer Computer (M.E.) Ltd.
Tel. +97-14-8813111
Fax +97-14-8812200

acer.co.za
Acer Africa
Tel. +27 11 233-6100
Fax +27 11 233-6200
Call Centre: 0861 653 653

acercomputer.se
Acer Sweden AB
Tel. +46 (0)8 505 573 50

Copyright 2009 Acer. All rights reserved. Acer and the Acer logo are registered trademarks of Acer Incorporated. Other trademarks, registered trademarks and/or service marks, indicated or otherwise, are the properties of their respective owners.

index

- 2 Video Projector Technologies
- 4 Empowering Technologies
- 6 Exciting 3D Projection to Mesmerize your Audience
- 8 Big Screen Entertainment at Home
- 10 Wide Adaptability for Superior Viewing Comfort
- 12 Outstanding Image Quality Anywhere
- 14 Great Performers with a Featherweight
- 16 High Definition Experience
- 18 Enliven Your Lessons
- 20 Capture Your Audience
- 22 Superior Performance for Large Boardrooms

Acer Projector Empowering Technology

Designed to make the use of any Acer projector easy and trouble-free, the Empowering Key gives instant access to simple setup, viewing and timer utilities, making you more productive and helping get the right message across the first time, every time.

Acer eView Management

Acer eView Management provides fast and easy adjusting of the projector settings to suit any lighting condition and any type of content. It includes a range of pre-set and custom display profiles to instantly configure colour, brightness and contrast to deliver best-quality images.

Acer eTimer Management

Acer eTimer Management provides a handy OSD timer to keep users on time. Complete with countdown and alarm capabilities, Acer eTimer Management puts precision into your finest presentations.

Acer eOpening Management

Acer eOpening management allows the start-up and standby screens to be personalised with any number of stored images at the touch of a button.

Acer ePower Management

Acer ePower Management offers quick configuration of power management options to extend lamp life and reduce power consumption.



3D Projection Solutions

The era of 3D vision has begun. The three-dimensional experience is made possible by certified solutions that, using high (120 Hz) refresh rates, can transform the flat surface of the room wall into a 3D screen thanks to a combination of a PC with a compatible graphic card and special 3D glasses.

The possibilities unlocked by this simple solution are limited only by our imagination: exploring the incredible human anatomy or the universe in 3D detail; touring famous archaeological sites just like being there...

Acer video-projectors are available with DLP 3D Ready or NVIDIA 3D Vision Ready solutions.

Acer EcoProjection Technologies



Acer EcoProjection is a comprehensive solution that ensures the projector is environment-friendly by reducing power consuming, by avoiding usage of known hazardous substances and by adopting a minimalist packaging design made of recyclable materials. Acer projectors with EcoProjection technology have an energy saving design that reduces power consumption by more than 50% in standby mode and by up to 20% in EcoMode. Plus, the projector automatically enters EcoMode if there isn't any input signal for 5 minutes and through Acer ePower Management users can setup customized power saving configurations. Using Acer EcoProjection projector helps reduce annual CO2 output as well as total cost of ownership.



LED Technology

LED technology makes lamp replacement virtually unnecessary as LED lifetime lasts up to 20,000 hours.

As a result, the Acer projectors with LED lamps ensure exceptional reliability and great savings while delivering a better performance. In fact, LED lamp technology allows the reproduction of a larger color range with better saturation. The result is extraordinary realism, unobtainable with standard technologies.

On top of this, LED lamps are free of hazardous substances such as mercury or halogen gases and can reduce power consumption up to 30%.

Acer Technologies

Acer's family of projectors ensures the best projection in any environment, offer excellent usability and powerful energy saving solutions thanks to cutting-edge technologies.

Acer ColorBoost II+ Technology

Acer video-projectors reproduce images images with more natural and balanced shades, achieving truly lifelike tones, thanks to Acer ColorBoost II+ enhancement technology, featuring an optimised 6-segment colour wheel design, a powerful image processor and an advanced lamp waveform. As a result, colour performance is vastly improved for incredibly realistic projections.

Acer ColorSafe

When projectors are used for extended periods of time the displayed images might take on a yellowish or greenish hue. To ensure picture integrity, Acer's projectors use ColorSafe and DLP® technologies making them virtually immune to colour decay ensuring longer lifespan and consistent image quality.





Outstanding Image Quality Anywhere

Acer P1203 – P1206 – P1303W Projectors

This range of projectors can deliver exceptional image quality in any environment thanks to high brightness and contrast ratios. They are equipped with an HDMI port for easy connectivity to high-quality HD broadcasts and entertainment and are DLP 3D ready enabling 3D visuals by wearing a DLP 3D glasses.

The capability to project onto coloured surfaces increases flexibility and viewing comfort while a built-in speaker adds clarity to projections making them perfect for both education and business scenarios.

Model Name	Acer P1203	Acer P1206	Acer P1303W
Resolution	Native XGA (1,024 x 768); Maximum UXGA (1,600 x 1,200), 1080p (1,920 x 1,080)	Native XGA (1,024 x 768); Maximum UXGA (1,600 x 1,200), 1080p (1,920 x 1,080)	Native WXGA (1,280 x 800); Maximum UXGA (1,600 x 1,200), 1080p (1,920 x 1,080)
Aspect Ratio	4:3 (Native), 16:9	4:3 (Native), 16:9	16:10 (Native), 4:3, 16:9
Contrast Ratio	3700:1	3700:1	3700:1
Brightness	3,100 ANSI Lumens (Standard), 2,480 ANSI Lumens (ECO)	3,500 ANSI Lumens (Standard), 2,800 ANSI Lumens (ECO)	3,100 ANSI Lumens (Standard), 2,480 ANSI Lumens (ECO)
Projection Lens	F = 2.41 ~ 2.55, f = 21.79mm ~ 23.99mm; 1:1.1 Manual Zoom and Manual Focus	F = 2.41 ~ 2.55, f = 21.79mm ~ 23.99mm; 1:1.1 Manual Zoom and Manual Focus	F = 2.50 ~ 2.60, f = 21.86mm ~ 24.00mm; 1:1.1 Manual Zoom and Manual Focus
Projection Screen Size (Diagonal)	23" (58cm) ~ 300" (762cm)	23" (58cm) ~ 300" (762cm)	27" (69cm) ~ 300" (762cm)
Projection Distance	3.3' (1.0m) ~ 39.0' (11.9m)	3.3' (1.0m) ~ 39.0' (11.9m)	3.3' (1.0m) ~ 32.9' (10.0m)
Throw Ratio	50"@2m (1.95 ~ 2.15:1)	50"@2m (1.95 ~ 2.15:1)	60"@2m (1.55 ~ 1.70:1)
Vertical Refresh Scan Rate	50 ~ 120 Hz	50 ~ 120 Hz	50 ~ 120 Hz
Lamp Life	2,500 Hours (Standard), 4,000 Hours (ECO)	2,500 Hours (Standard), 4,000 Hours (ECO)	2,500 Hours (Standard), 4,000 Hours (ECO)
Keystone Correction	+/-40 Degrees (Vertical), Manual & Auto	+/-40 Degrees (Vertical), Manual & Auto	+/-40 Degrees (Vertical), Manual & Auto
Projection Mode	Front, Rear, Front-Ceiling, Rear-Ceiling	Front, Rear, Front-Ceiling, Rear-Ceiling	Front, Rear, Front-Ceiling, Rear-Ceiling
Audio	One Internal Speaker with 2 watts Output	One Internal Speaker with 2 watts Output	One Internal Speaker with 2 watts Output
Weight	2.5 Kg (5.5 lbs)	2.5 Kg (5.5 lbs)	2.5 Kg (5.5 lbs)
Dimensions	269 x 206 x 84 mm (10.6"x8.1"x3.3")	269 x 206 x 84 mm (10.6"x8.1"x3.3")	269 x 206 x 84 mm (10.6"x8.1"x3.3")
Remote Control	IR remote control with laser pointer & PgUp/PgDn functions	IR remote control with laser pointer & PgUp/PgDn functions	IR remote control with laser pointer & PgUp/PgDn functions
Digital Zoom	2X	2X	2X
Power Consumption	325 Watts (Operation), <1 Watts (Standby)	325 Watts (Operation), <1 Watts (Standby)	325 Watts (Operation), <1 Watts (Standby)
Noise Level	33 dBA (Standard mode), 29 dBA (ECO mode)	33 dBA (Standard mode), 29 dBA (ECO mode)	33 dBA (Standard mode), 29 dBA (ECO mode)
Input Interface	Analog RGB/Component Video (D-sub) x 2; Composite Video (RCA) x 1; S-Video (Mini DIN) x 1; HDMI (Video, Audio, HDCP); PC Audio (Stereo mini jack) x 1 x 1	Analog RGB/Component Video (D-sub) x 2; Composite Video (RCA) x 1; S-Video (Mini DIN) x 1; HDMI (Video, Audio, HDCP) x 1; PC Audio (Stereo mini jack) x 1	Analog RGB/Component Video (D-sub) x 2; Composite Video (RCA) x 1; S-Video (Mini DIN) x 1; HDMI (Video, Audio, HDCP) x 1; PC Audio (Stereo mini jack) x 1
Output Interface	Analog RGB (D-sub) x 1; PC Audio (Stereo mini jack) x 1	Analog RGB (D-sub) x 1; PC Audio (Stereo mini jack) x 1	Analog RGB (D-sub) x 1; PC Audio (Stereo mini jack) x 1
Control Interface	USB (Type B) x 1; RS232 (Mini DIN) x 1; 12V DC (Screen control) x 1	USB (Type B) x 1; RS232 (Mini DIN) x 1; 12V DC (Screen control) x 1	USB (Type B) x 1; RS232 (Mini DIN) x 1; 12V DC (Screen control) x 1
3D Projection	DLP 3D ready	DLP 3D ready	DLP 3D ready