



# PB60G[62G]


SMART LED PROJECTOR

# PB60G[62G] OVERVIEW

## RESOLUTION



## BRIGHTNESS (ANSI-LUMEN)



## CONTRAST RATIO



## LAMP LIFE (HOURS)



# PB60G[62G] FEATURE

 World Brightest Portable LED Smart TV Projector

**projectisle**  
.com.au

Where Projectors Roam Free



## *PB60G (62G)*

- WXGA (1280 x 800)
- 500 Ansi
- 2500:1 ↑ Contrast ratio
- 30000hrs lamp life
- HD DivX embedded
- 3D Ready
- DTV Tuner (PB61K/61U)
- File viewer



# PB60G[62G] FEATURE

## DESIGN

Simple White Slim & compact size




# PB60G[62G] FEATURE

## SUPER LONG LASTING LAMP

4 Hours a Day, Lasts 20years



# PB60G[62G] FEATURE

 Smart Sharing Among your Various Digital Devices




# PB60G[62G] FEATURE

 Anywhere, Anytime Easy to Use



# PB60G[62G] FEATURE

## INPUT / OUTPUT





# PB60G[62G] SPECIFICATION

Projection System		DLP		Input/Output Terminals		DLP	
Native Resolution		WXGA(1280x800)		RGB in		1	
Brightness(ANSI)		500		RGB(PC) Audio in		1	
Contrast Ratio(FOFO)		15,000:1		Composite(AV) in		Phone to AV in	
Noise	High Brightness	34 dB(A)		Component (YPbPr)		RGB to Component in	
	Normal	31 dB(A)		Audio out		1 (Φ3.5)	
	Economic	26 dB(A)		HDMI		1	
Uniformity(JBMMA 9point)		85%		USB(SVC,Interactive)		1 (Type A)	
Color wheel		-		<b>Features</b>			
Iris		-		<b>DLP</b>			
Projection Lens	Focus	Manual		3D		DLP 3D Ready (DLP Link), PC XGA 120Hz	
	Zoom	Fixed		2D to 3D		-	
Projection Image	Screen Size	25" ~ 100"		Digital Keystone Correction		○(Vertical)	
	Standard	40" @ 1.3m		Picture Still		X	
Projectoin Offset	Throw Ratio	1.5		Plug & Play(RGB, DVI/HDMI Input)		-	
		100%		Auto Source Detection		○	
Lamp	Type	RGB LED, PT39 (Luminus社)		Quick(Instant) Power on/off		○(on: ~10sec, off:2 sec)	
	Life High Brightness	30,000 Hrs		Auto Sleep (Off)		○	
	Life Economic	-		Sleep Timer		○	
<b>General Specification</b>		<b>DLP</b>		Blank		○(Blue, Green, Logo)	
Menu Language		Korean / English / French/ Spanish/ German / Italian / Swedish / Portuguese / Chinese Simplified / polish/ Brazilian Portuguese/Russian/ Greek / Arabic/ Turkish/ Taiwanese		Image Flip		Horizontal/Vertical	
				Color Temperature		○	
Aspect Ratio Control		4:3/Just scan/Set by Pro./16:9/Cinema Zoom/Full		Brilliant Color™ (Overlap Duty)		○	
Sound		1W+1W stereo		Black Level Control		○	
Dimension (mm)		158(W) x 103(D) x 33(H)		Expert controlVADJ		○	
Weight (kg)		470g		Gamma Correction		○	
Power Consumption		60W		Noise Reduction		○	
Stand-by Power		<0.5W		VIDI™		-	
Power Supply		Adapter		Closed Caption		○ (AV)	
Operation Temp		0 ~ 40°		Status Display LED		X	
Input Signal Compatibility		Digital(HDMI)		Power On Sound		-	
		RGB		Auto Input Search		○	
		Component Video		Auto Keystone		○	
		Composite Video		Automatic Standby		○	
		1080p/1080i/720p/480p		USB Host (DivX, MP3, Photo)		○ (HD DivX)	
		up to WSXGA+ (1680x1050@60Hz)		File(Office) Viewer		○	
		1080p/1080i/720p/480p/480i		Mirroring (Awind, WiDi, WFD)		WiDi, Dongle (62G)	
		480p, 480i		<b>Accessory</b>			
				<b>DLP</b>			
				ITEM			
				Carry Bag(Pouch), Lens Cap, DLP Glasses Exclude, ceiling mount(ready), D-sub cable(1) Phone to AV(composite)Cable(1), Remote control(white), Quick setup guide, CD manual			